

Evidence Based Standard of Care for TBI and Complex Concussion Care

References:

Vestibular:

Anne Mucha DPT, Michael W. Collins, PhD,[†] R.J. Elbin, PhD,[‡] Joseph M. Furman, MD, PhD,[§] Cara Troutman-Enseki, DPT,^{*} Ryan M. DeWolf, MS, ATC,[†] Greg Marchetti, PhD,^{||} and Anthony P. Kontos, PhD A Brief Vestibular/Ocular Motor Screening (VOMS) Assessment to Evaluate Concussions. *Am J Sports Med.* 2014 Oct; 42(10): 2479–2486.

Kontos AP¹, Sufrinko A², Elbin RJ³, Puskar A², Collins MW². Reliability and Associated Risk Factors for Performance on the Vestibular/Ocular Motor Screening (VOMS) Tool in Healthy Collegiate Athletes. *Am J Sports Med.* 2016 Jun;44(6):1400-6.

Alicia M. Sufrinko, PhD,^a Anne Mucha, DPT,^b Tracey Covassin, PhD, ATC; PhD,^c Greg Marchetti, PhD,^d R.J. Elbin, PhD,^e Michael W. Collins, PhD,^a and Anthony P. Kontos, PhD^a. Sex Differences in Vestibular/Ocular and Neurocognitive outcomes following Sport-related Concussion. *Clin J Sport Med.* 2017 Mar; 27(2): 133–138.

Gray M, Wilson JC, Potter M, Provance AJ, Howell DR. Female adolescents demonstrate greater oculomotor and vestibular dysfunction than male adolescents following concussion. *Physical therapy sport.* 2020;42:68-74. doi:10.1016/j.ptsp.2020.01.001

Anthony J. Anzalone, BS, Damond Blueitt, MD, Tami Case, PA-C, A Positive Vestibular/Ocular Motor Screening (VOMS) Is Associated With Increased Recovery Time After Sports-Related Concussion in Youth and Adolescent Athletes. *sagepub.com* 2017.

Schneider KJ, Meeuwisse WH, Nettel-Aguirre A, Barlow K, Boyd L, Kang J, et al. Cervicovestibular rehabilitation in sport-related concussion: a randomised controlled trial. *British Journal of Sports Medicine.* 2014 May 22.

Alsalaheen BA, Mucha A, Morris LO, Whitney SL, Furman JM, Camiolo-Reddy CE, et al. Vestibular rehabilitation for dizziness and balance disorders after concussion. *J Neurol Phys Ther.* 2010 Jun;34(2):87–93.

Hugentobler JA, Vegh M, Janiszewski B. PHYSICAL THERAPY INTERVENTION STRATEGIES FOR PATIENTS WITH PROLONGED MILD TRAUMATIC BRAIN INJURY SYMPTOMS: A CASE SERIES, *journal of sports*, 2015.

Visual:

Kontos AP¹, Deitrick JM¹, Collins MW¹, Mucha A². Review of Vestibular and Oculomotor Screening and Concussion Rehabilitation. *J Athl Train*. 2017 Mar;52(3):256-261

Master CL¹, Scheiman M², Gallaway M², Goodman A³, Robinson RL⁴, Master SR⁵, Grady MF⁶. Vision Diagnoses Are Common After Concussion in Adolescents. *Clin Pediatr (Phila)*. 2016 Mar;55(3):260-7.

Thiagarajan P, Ciuffreda KJ, Capo-Aponte JE, Ludlam DP, Kapoor N. Oculomotor neurorehabilitation for reading in mild traumatic brain injury (mTBI): an integrative approach. *NeuroRehabilitation*. 2014;34(1):129–146.

Gunasekaran P¹, Hodge C², Rose K³, Fraser CL⁴. Persistent visual disturbances after concussion. *Aust J Gen Pract*. 2019 Aug;48(8):531-536.

N. Kapoor, K.J. Ciuffreda et al. Vision disturbances following traumatic brain injury. *Current Treatment Options in Neurology*, 4 (4) (2002), pp. 271-280.

Ciuffreda KJ, Rutner D, Kapoor N, Suchoff IB, Craig S, Han ME. Vision therapy for oculomotor dysfunctions in acquired brain injury: a retrospective analysis. *Optometry*. 2008;79(1):18–22.

B.D. Greenwald, N. Kapoor, A.D, Singh, et al. Visual impairments in the first year after traumatic brain injury. *Brain Injury*, 26 (11) (2012), pp. 1338-1359

Barnett BP, Singman EL. Vision Concerns After Mild Traumatic Brain Injury. *Curr Treat Options Neurol*. 2015 Jan 27;17(2):5.

Yadav NK, Ciuffreda KJ. Effect of binasal occlusion (BNO) and base-in prisms on the visual-evoked potential (VEP) in mild traumatic brain injury (mTBI). *Brain Inj*. 2014 Jul 24;;1–13.

Cognitive:

Kontos AP¹, Elbin RJ, Fazio-Sumrock VC, Burkhart S, Swindell H, Maroon J, Collins MW. Incidence of sports-related concussion among youth football players aged 8-12 years. *J Pediatr*. 2013 Sep;163(3):717-20.

Michael W. Collins • Anthony P. Kontos • Erin Reynolds • Christopher D. Murawski • Freddie H. Fu. A comprehensive, targeted approach to the clinical care of athletes

following sport-related concussion. *Knee Surg Sports Traumatol Arthrosc.* 2014 Feb;22(2):235-46.

Iverson GL, Brooks BL. Development of preliminary evidence-based criteria for cognitive impairment associated with sport-related concussion. *Br J Sports Med* 2009;43(Suppl 1):i100.

Tjarks BJ, Dorman JC, Valentine VD, et al. Comparison and utility of King-Devick and ImPACT composite scores in adolescent concussion patients. *J Neurol Sci.* 2013;334(1–2):148–153.

McCrea M¹, Guskiewicz KM, Marshall SW, Barr W, Randolph C, Cantu RC, Onate JA, Yang J, Kelly JP. Acute effects and recovery time following concussion in collegiate football players: the NCAA Concussion Study. *JAMA.* 2003 Nov 19;290(19):2556-63.

Cavanagh JF, Wilson JK, Rieger RE, et al. ERPs predict symptomatic distress and recovery in sub-acute mild traumatic brain injury. *Neuropsychologia.* 2019;132:107125. doi:10.1016/j.neuropsychologia.2019.107125

Collins MW, Kontos AP, Okonkwo D, et al. Statement from the Targeted Evaluation and Active Management (TEAM) Approaches to Treating Concussion Meeting held in Pittsburgh, October 15–16, 2015. *Neurosurgery.* 2016;79(6):912–929.

Migraine

Dumkrieger G, Chong CD, Ross K, Berisha V, Schwedt TJ. Static and dynamic functional connectivity differences between migraine and persistent post-traumatic headache: A resting-state magnetic resonance imaging study. *Cephalgia* 2019;39(11):1366-1381. doi:10.1177/0333102419847728

Michael J. Ellis,^{1,*} John Leddy,² and Barry Willer³. Multi-Disciplinary Management of Athletes with Post-Concussion Syndrome: An Evolving Pathophysiological Approach. *Front Neurol.* 2016; 7: 136.

Ellis MJ¹, Leddy JJ, Willer B. Physiological, vestibulo-ocular and cervicogenic post-concussion disorders: an evidence-based classification system with directions for treatment. *Brain Inj.* 2015;29(2):238-48.

Kontos AP, Elbin RJ, Trbovich A, et al. Concussion Clinical Profiles Screening (CP Screen) Tool: Preliminary Evidence to Inform a Multidisciplinary Approach. *NSG.* 2020;87(2):348-356. doi:10.1093/neuros/nyz545

Lumba-Brown A, Teramoto M, Bloom OJ, et al. Concussion Guidelines Step 2: Evidence for Subtype Classification. *NSG*. 2020;86(1):2-13. doi:10.1093/neuros/nyz332

Mood:

Natalie Sandel,¹ Erin Reynolds,¹ Paul E. Cohen,¹ Brandon L. Gillie,¹ and Anthony P. Kontos¹. Anxiety and Mood Clinical Profile following Sport-related Concussion: From Risk Factors to Treatment. *Sport Exerc Perform Psychol*. 2017 Aug; 6(3): 304–323.

Brustman K, Eagle SR, Mucha A, Trbovich A, Collins MW, Kontos AP. Association of sleep symptoms with mood and vestibular subtypes following sport-related concussion [published online ahead of print, 2020 Jul 16]. 2020;1-5.

Gagner C, Dégeilh F, Bernier A, Beauchamp MH. Persistent Changes in Child Behavior After Early Mild Traumatic Brain Injury. *J of pediatric psychology*. 2020;45(1):50- 60.

Hellewell SC, Beaton CS, Welton T, Grieve SM. Characterizing the Risk of Depression Following Mild Traumatic Brain Injury: A Meta-Analysis of the Literature Comparing Chronic mTBI to Non-mTBI Populations. 2020;11:350. Published 2020 May 19.

Kontos AP¹, Elbin RJ, Schatz P, Covassin T, Henry L, Pardini J, Collins MW. A revised factor structure for the post-concussion symptom scale: baseline and postconcussion factors. *Am J Sports Med*. 2012 Oct;40(10):2375-84.

Sleep:

Driver et al. Pharmacological management of sleep after traumatic brain injury. *NeuroRehabilitation* 43 (2018) 355–360. 2018

Tomfohr-Madsen L, Madsen JW, Bonneville D, et al. A Pilot Randomized Controlled Trial of Cognitive-Behavioral Therapy for Insomnia in Adolescents With Persistent Postconcussion Symptoms. *J Head Trauma Rehabil* . 2020

Hoffman NL, O'Connor PJ, Schmidt MD, Lynall RC, Schmidt JD. Relationships between Post-Concussion Sleep and Symptom Recovery: A Preliminary Study. *J Neurotrauma*. 2020;37(8):1029-1036. 2020

Alphonsa Thomas and Brian D. Greenwald. Nonpharmacological management of sleep disturbances after traumatic brain injury. JFK Medical Center-Johnson Rehabilitation Institute, Edison, NJ, USA. 2018.

Ludwig R, D'Silva L, Vaduvathiriyam P, Rippee MA, Siengsukon C. Sleep Disturbances in the Acute Stage of Concussion are Associated With Poorer Long- Term Recovery: A

Systematic Review. PM R. 2020;12(5):500-51

Killgore WDS, Vanuk JR, Shane BR, Weber M, Bajaj S. A randomized, double-blind, placebo-controlled trial of blue wavelength light exposure on sleep and recovery of brain structure, function, and cognition following mild traumatic brain injury. 2020

Exercise intolerance and Exertional Rehab

Leddy JJ¹, Haider MN^{1,2}, Ellis MJ^{3,4,5}, Mannix R⁶, Darling SR¹, Freitas MS¹, Suffoletto HN¹, Leiter J⁷, Cordingley DM⁷, Willer B⁸. Early Subthreshold Aerobic Exercise for Sport-Related Concussion: A Randomized Clinical Trial. *JAMA Pediatr.* 2019 Apr 1;173(4):319-325.

Gagnon et al. Another look at active rehabilitation for slow-to-recover sport-related concussion in children and adolescents: further evidence to support its effectiveness. *BJSM*, 2013.

Hunt AW, Agnihotri S, Sack L, et al. Mood-related changes in children and adolescents with persistent concussion symptoms following a six-week active rehabilitation program. 2020;34(8):1068-1073

Coslick AM, Chin KE, Kalb LG, Slomine BS, Suskauer SJ. Participation in physical activity at time of presentation to a specialty concussion clinic is associated with shorter time to recovery [published online ahead of print, 2020

John J. Leddy, MD,^{†*} Harkeet Sandhu, MD,[†] Vikram Sodhi, MD,[†] John G. Baker, PhD,[†] and Barry Willer, PhD[‡]. Rehabilitation of Concussion and Post-concussion Syndrome. *Sports Health.* 2012 Mar; 4(2): 147–154.

Leddy JJ¹, Baker JG², Willer B³. Active Rehabilitation of Concussion and Post-concussion Syndrome. *Phys Med Rehabil Clin N Am.* 2016 May;27(2):437-54.

Gagnon et al. When is it time to start rehab? exploring the optimal timing to initiate active rehabilitation for concussion management in children and adolescents. *BJSM*, 2017.

Leddy JJJ, Kozlowski KK, Fung MM, Pendergast DRD, Willer BB. Regulatory and autoregulatory physiological dysfunction as a primary characteristic of post concussion syndrome: implications for treatment. *NeuroRehabilitation.* 2007 Jan 1;22(3):199–205.

McCrory P, Meeuwisse WH, Aubry M, Cantu B, Dvorak J, Echemendia RJ, et al. Consensus statement on concussion in sport: the 4th International Conference on

Concussion in Sport held in Zurich, November 2012. *British Journal of Sports Medicine*. 2013 Mar 11;47(5):250–8.

Thomas DG, Apps JN, Hoffmann RG, McCrea M, Hammeke T. Benefits of Strict Rest After Acute Concussion: A Randomized Controlled Trial. *PEDIATRICS*. 2015 Jan 5.

Moor HM, Eisenhauer RC, Killian KD. THE RELATIONSHIP BETWEEN ADHERENCE BEHAVIORS AND RECOVERY TIME IN ADOLESCENTS AFTER A SPORTS-RELATED CONCUSSION: *Journal of sports medicine*. 2015.

DiFazio M, Silverberg ND, Kirkwood MW, Bernier R, Iverson GL. Prolonged Activity Restriction After Concussion: Are We Worsening Outcomes? *Clinical Pediatrics*. 2015 Jun 29.

Concussion and PPCS phenotypes/profiles:

Angela Lumba-Brown, MD, Masaru Teramoto, PhD, MPH, PStat®, O Josh Bloom, MD, MPH, David Brody, MD, PhD, James Chesnutt, MD, James R Clugston, MD, MS, Michael Collins, PhD, Gerard Gioia, PhD, Anthony Kontos, PhD, Avtar Lal, PhD, Allen Sills, MD, Jamshid Ghajar, MD, PhD. Concussion Guidelines Step 2: Evidence for Subtype Classification. *Neurosurgery*, Volume 86, Issue 1, January 2020.

Kontos AP, Sufrinko A, Sandel N, Emami K, Collins MW. Sport-related Concussion Clinical Profiles: Clinical Characteristics, Targeted Treatments, and Preliminary Evidence. *Curr Sports Med Rep*. 2019

Angela Lumba-Brown, Jamshid Ghajar, Jordan Cornwell, O Josh Bloom, James Chesnutt, James R Clugston,6 Raina Kolluri, John J Leddy, Masaru Teramoto, and Gerard Gioia. Representation of concussion subtypes in common postconcussion symptom-rating scales *Concussion*. 2019 Nov; 4(3): CNC65. Published online 2019 Nov 1.

Maruta et al. Concussion Subtype Identification With the Rivermead Questionnaire. 2018

Early intervention:

Kontos AP, Jorgensen-Wagers K, Trbovich AM, et al. Association of Time Since Injury to the First Clinic Visit With Recovery Following Concussion. *JAMA Neurology* 2020;77(4):435-440.

Howell DR, O'Brien MJ, Fraser J, Meehan WP 3rd. Continuing Play, Symptom Severity, and Symptom Duration After Concussion in Youth Athletes. *CJSM*, 2020.

Gravel J, Ledoux AA, Tang K, et al. Early versus delayed emergency department presentation following mild Traumatic Brain Injury and the presence of symptom at 1, 4 and 12 weeks in children. 2020;37(6):338-343.

Eagle SR, Puligilla A, Fazio-Sumrok V, Kegel N, Collins MW, Kontos AP. Association of time to initial clinic visit with prolonged recovery in pediatric patients with concussion [published online ahead of print, 2020 Apr 24]. 2020;1-6.

McCrea M, Broglio S, McAllister T, et al. Return to play and risk of repeat concussion in collegiate football players: comparative analysis from the NCAA Concussion Study (1999-2001) and CARE Consortium (2014-2017). *BJSM*. 2020;54(2):102-109.

Persistent post concussive symptoms (PPCS) and long term effects:

Kowalczyk CL, Eagle SR, Holland CL, Collins MW, Kontos AP. Average symptom severity and related predictors of prolonged recovery in pediatric patients with concussion [published online ahead of print, 2020 Jun 9]. 2020;1-5.

Povolo CA, Reid JN, Shariff SZ, Welk B, Morrow SA. Concussion in adolescence and the risk of multiple sclerosis: A retrospective cohort study [published online ahead of print, 2020 Feb 24]. *Mult Scler* 2020;1352458520908037.

Siman R, Cui H, Wewerka SS, Hamel L, Smith DH, Zwank MD. Serum SNTF, a Surrogate Marker of Axonal Injury, Is Prognostic for Lasting Brain Dysfunction in Mild TBI Treated in the Emergency Department. 2020;11:249. Published 2020 Apr 8. doi:10.3389/fneur.2020.00249

Ibrahim O, Sutherland HG, Maksemous N, Smith R, Haupt LM, Griffiths LR. Exploring Neuronal Vulnerability to Head Trauma Using a Whole Exome Approach [published online ahead of print, 2020 May 4]. *J Neurotrauma*. 2020;10.1089/neu.2019.6962. doi:10.1089/neu.2019.6962

Huang MX, Robb Swan A, Angeles Quinto A, et al. Resting-State Magnetoencephalography Source Imaging Pilot Study in Children with Mild Traumatic Brain Injury. *Neurobiol Dis Pediatr*. *JAMA Neurol. Appl Neuropsychol Child. Inj Prev. Neurosurgery Brain Inj* . 2020;37(7):994-1001.

Cavanagh JF, Wilson JK, Rieger RE, et al. ERPs predict symptomatic distress and recovery in sub-acute mild traumatic brain injury. *Neuropsychologia*. 2019;132:107125. doi:10.1016/j.neuropsychologia.2019.107125

Hirad AA, Bazarian JJ, Merchant-Borna K, et al. A common neural signature of brain injury in concussion and subconcussion. *Sci Advance*. 2019;5(8):eaau3460. Published 2019 Aug 7. doi:10.1126/sciadv.aau3460

Iverson GL, Wojtowicz M, Brooks BL, et al. High School Athletes With ADHD and Learning Difficulties Have a Greater Lifetime Concussion History. *J Atten Disord*. 2020;24(8):1095-1101.

Gladstone E, Narad ME, Hussain F, et al. Neurocognitive and Quality of Life Improvements Associated With Aerobic Training for Individuals With Persistent Symptoms After Mild Traumatic Brain Injury: Secondary Outcome Analysis of a Pilot Randomized Clinical Trial. 2019;10:1002. Published 2019 Sep 18.

Voormolen DC, Haagsma JA, Polinder S, et al. Post-Concussion Symptoms in Complicated vs. Uncomplicated Mild Traumatic Brain Injury Patients at Three and Six Months Post-Injury: Results from the CENTER-TBI Study. 2019;8(11):1921. Published 2019 Nov 8. doi:10.3390/jcm8111921 *J Clin Med*. *Arch Clin Neuropsychol*.

Zahniser E, Temkin NR, Machamer J, et al. The Functional Status Examination in Mild Traumatic Brain Injury: A TRACK-TBI Sub-Study. 2019;34(7):1165-1174. doi:10.1093/arclin/acy103

Povolo CA, Reid JN, Shariff SZ, Welk B, Morrow SA. Concussion in adolescence and the risk of multiple sclerosis: A retrospective cohort study [published online ahead of print, 2020 Feb 24]. *Mult Scler* 2020; doi:10.1177/1352458520908037

Siman R, Cui H, Wewerka SS, Hamel L, Smith DH, Zwank MD. Serum SNTF, a Surrogate Marker of Axonal Injury, Is Prognostic for Lasting Brain Dysfunction in Mild TBI Treated in the Emergency Department. *Frontiers Neurology* . 2020;11:249. Published 2020 Apr 8. doi:10.3389/fneur.2020.00249

McGuine TA, Pfaller A, Kliethermes S, et al. The Effect of Sport-Related Concussion Injuries on Concussion Symptoms and Health-Related Quality of Life in Male and Female Adolescent Athletes: A Prospective Study. 2019;47(14):3514-3520.

General Consensus statements:

Brown et al. CDC Guidelines on Management of mTBI. 2018

McCroy et al. 5th International Consensus on Concussion. 2017

Harmon et al. AMSSM Consensus Statement on Concussion. 2019